

Ref No. EOGEP/ CBM-RG (E)/ MoEF/ 2018/ 694

Date: 26 November, 2018

To
The Director
Ministry of Environment and Forests
Eastern Regional Office
A/3 Chandrasekharpur
Bhubaneswar-751 023
Orissa

Essar Oil and Gas Exploration and Production Ltd.
AN 81 B, Sector 2B
Martin Luther King Road
Bidhan Nagar
Durgapur - 713 212
India

CIN : U11203GJ2016PLC091903

T +91 343 253 2202

F +91 343 253 2201

E eogepl@essar.com

www.essar.com

Sub: Submission Half-yearly Compliance Report of the Environmental Clearance (Phase-III) by Essar Oil Gas Exploration and Production Limited reg.

Ref: Environmental Clearance of Phase-III granted by MoEF vide letter no.J-11011/491/2011-IA II(I) dated 26th February, 2013; Transfer of EC from EOL to EOGEP dated 27.11.2017


Dear Sir

We are enclosing herewith the half-yearly compliance report in respect of the stipulated prior environmental clearance terms and conditions for the Production and Development Phase (Phase-III) of CBM project activities for the period of April, 2018 to September, 2018.

Thanking you for your continued support,

With Best Regards,

For Essar Oil and Gas Exploration and Production Limited


C. D. Narayanswamy
Chief Operating Officer
Raniganj East, CBM Project Durgapur



Encl: Phase-III Compliance Report

Copy to:

1. Member Secretary (Industry), MoEF, CGO Complex, Paryavan Bhavan, New Delhi-110003
2. The Environmental Engineer, Durgapur Regional Office, WBPCB, Durgapur-713216

**RG (East)-CBM-2001/1 (Phase-III) Half Yearly Environment Clearance
Compliance Report - October'17- March'18**

**Ref: Environment Clearance no. F. No. J-11011/491/2007-IA II (I)
dated 26.02.2013**

Transfer of EC from EOL to EOGPEL dated 27.11.2017

Essar Oil and Gas Exploration and Production Limited

**RG (East)-CBM-2001/1 (Phase-III) Half Yearly Environment Clearance Compliance Report
(April' 18 to September'18)**

Ref: Environmental Clearance F.No.J-11011/491/2011-IA II (I), dated 26th February, 2013

S. No	Condition	Compliance Status
A	Specific Conditions	
i.	Compliance to all the environmental conditions stipulated in the environmental clearance letter nos.J-11011/660/2007-IA-II(I) dated 6 th May, 2008, J-11011/351/2009-IA-II(I) dated 23.09.2011 and its subsequent amendment shall be satisfactorily implemented.	Compliance to the environmental conditions of Phase-I, II & II(A) are being satisfactorily implemented and the compliance reports are regularly submitted to the Regional office of the MoEF.
ii.	Compensation for the land acquisition to the land oustees, if any, and also for standing crop shall be paid as per the National Resettlement and Rehabilitation Policy (NRRP) 2007 or State Government norms. It may be ensured that compensation provided shall not be less than the norms of the NRRP, 2007	Land acquisition is being directly done with the land owners and the compensation is paid as per the prevailing market rate. There is no involvement of Rehabilitation and Resettlement.
iii.	Prior permission from the Ministry of Defence shall be obtained regarding impact of proposed plant on Panagarh, if any.	Total four (4) nos. of GGS and One (1) no MCS constructed as per the NOC obtained MoD.
iv.	As proposed, no forest land shall be used for the proposed facilities	Forest land is not being used for construction of well pads or and surface facilities of the project.
v.	Ambient Air Quality shall be monitored near the closest human settlements as per the National Ambient Air Quality Emission Standards (NAAQES) issued by the Ministry vide G.S.R No. 826(E) dated 16 th November, 2009 for PM10, PM2.5, SO2, NOx, CO, CH4, VOCs, HC, Non-Methane HC etc. Efforts shall be made to improve the ambient air quality of the area.	Ambient Air Quality Monitoring has been carried out at facilities & well pads near to the closest human settlements as per the Ambient Air Quality Emission Standards (NAAQES) issued by the Ministry vide G.S.R No. 826(E) dated 16 th November, 2009. Periodic & Preventive maintenance is carried out for all the equipment. However CBM gas production does not generate significant air pollution. Please find the air

S. No	Condition	Compliance Status
		monitoring results attach with this report as Annexure-I.
vi.	Mercury shall also be analysed in air, water and drill cuttings twice during drilling period	The Drilling has been temporarily suspended from April' 17 till date.
vii.	The flare system shall be designed as per good oil field practices and Oil Industry Safety Directorate (OISD) guidelines. The company shall take necessary measures to prevent fire hazards and soil remediation as needed. At the place of ground flaring, the flare pit shall be lined with refractory bricks and efficient burning system. In case of overhead flare stacks, the stack height shall be provided as per the regulatory requirements and emission from stacks shall meet the MoEF/CPCB guidelines.	<p>Elevated flare system is designed as per OISD guidelines. Measures delineated in the EIA/EMP have been taken to prevent fire hazards. The overhead flaring is installed at a height of 30 m. The following measures have been implemented to prevent fire hazard:</p> <ul style="list-style-type: none"> ▪ Installation of electrical equipment as per approved hazardous zone classification as communicated to DGMS ▪ Dry chemical fire extinguishers are available at all well-sites & facilities. ▪ Portable methane gas analyzers (CH₄) are available. ▪ Flame proof type lighting fixtures, push buttons and switches in the drill site facilities are used.
viii.	The company shall make the arrangement for control of noise from the drilling activity, compressor station and DG sets by providing necessary mitigation measures such as proper acoustic enclosures to DG sets and meet the norms notified by the MoEF. Height of all the stacks/vents shall be as per the CPCB guidelines.	<p>Only CPCB approved models of silent generator sets have been installed with acoustic enclosures. Once the gas production starts at the well site, the Diesel Generator (DG) sets are replaced with Gas Generator (GG) sets. In operational wells gas generator sets are operational.</p> <p>Noise monitoring has been carried out in the surrounding habitats and major activity area. Please find the noise monitoring reports attached with report as Annexure-II.</p>
ix.	The company shall comply with the guidelines for disposal of solid waste, drill cutting and drilling fluids for onshore drilling operation notified vide GSR.546€ dated 30 th August, 2005.	The drilling is temporarily suspended from April, 2017 till date.

S. No	Condition	Compliance Status
x.	Total fresh water requirement should not exceed 125m ³ for each well during drilling phase 1 m ³ /day for GGS/MCS. Prior permission shall be obtained from the Competent Authority and a copy submitted to the Ministry's Regional Office at Bhubaneswar	The drilling was temporarily suspended from April 2007 to till date.
xi.	During well drilling, wastewater should be segregated into waste drilling fluid and drill cuttings. Drill cutting should be stored onsite impervious HDPE lined pit for solar evaporation and drying. Effluent should be properly treated and treated effluent should conform to CPCB standards. As proposed, produced water should be treated by reverse osmosis and reuse in drilling of new wells, fire hydrant system and other beneficial purposes. Domestic effluent should be disposed-off through septic tank followed by soak pit.	The drilling is temporarily suspended from April' 2017 till date. Produced water is treated through Reverse Osmosis (RO) system. The treated produced water is reused in other operations. Please find the RO water analysis results attached with this report as Annexure III . Domestic effluent is disposed of through septic tank to soak pit.
xii.	Ground water quality monitoring should be done to assess if produced water storage or disposal has any effect.	Ground water quality monitoring is conducted and please find the analysis results attached with this report as Annexure IV .
xiii.	Drilling wastewater including drill cuttings, wash water shall be collected in disposal pit lined with HDPE lining, evaporated or treated and shall comply with the notified standards for on-shore disposal on land. Proper toxicological analysis shall be done to ensure there is no hazardous material. Copy of toxicological analysis shall be submitted to Ministry's Regional Office at Bhubaneswar.	Drilling is temporarily suspended from April' 2017 till date.
xiv.	Water base drilling mud or synthetic based mud shall be used	Water based mud was used in the drilling.

S. No	Condition	Compliance Status
xv.	The company shall take necessary measures to prevent fire hazards, containing oil spill and soil remediation as needed. At place of ground flaring, the overhead flaring stack with knockout drums shall be installed to minimize gaseous emissions during operation.	All the precautionary measures is implemented to prevent fire hazards & Oil Spills. Elevated flaring is carried out. No ground flaring is done.
xvi.	The company shall take necessary measures to prevent fire hazards and soil remediation as needed. The stacks of adequate height shall be provided to flare the gas, if required, to minimize gaseous emissions and heat load during flaring	Gas detectors & sensors available to prevent the fire hazards. Flare stack height of 30m is maintained at Gas Gathering Stations and 50 m at Main Compressor Stations.
xvii.	To prevent underground coal fire, preventive measures shall be taken for ingress of ambient air during withdrawal inside the coal seams by adopting technologies including vacuum suction. Gas detectors for the detection of CH ₄ and H ₂ S shall be provided.	Gas detectors for Methane, H ₂ S and other gases are provided at the Gas Gathering Station and production sites. There is not any ingress of ambient air since the well is arrested at the head with drive head and progressive cavity pump.
xviii.	The design, material of construction, assembly, inspection, testing and safety aspects of operations and maintenance of pipeline and transporting the natural gas/oil shall be governed by ASME/ANSI B 31.8/B31.4 and OISD standard 141. Pipeline wall thickness and minimum depth of burial at river crossing and casings at rails, major road crossings should be in conformity with ANSI/ASME requirements.	All the surface facilities are installed as per the ASME/ANSI B 31.8 standards. Pipelines design and laying are confirmed to the ANSI/ASME standards and OISD 141 Guideline.
xix.	The company shall develop a contingency plan for H ₂ S release including all necessary aspects from evacuation to resumption of normal operations. The workers shall be provided with personal H ₂ S detectors in locations of high risk of	H ₂ S is not present as per the analysis of gas tapped from the test wells & pilot wells. However all the necessary safety measures are taken as per the Emergency Response Plan. Gas detectors are kept at the Gas Gathering Station and production sites to check any presence of gases which are beyond

S. No	Condition	Compliance Status
	exposure along with self-containing breathing apparatus.	threshold values. All workers are provided with standard PPEs according to job requirement.
xx.	Adequate well protection system shall be provided like Blow Out Preventor (BOP) or diverter systems as required based on the geological formation of the blocks.	CBM well hydrostatic pressures are found to be less than 2psi. However considering the hydrostatic pressures and sensitivity of well, Blow Out Preventers or diverter systems are provided at the well head during drilling along with other well control measures such as proper pre-well planning and drilling fluid logging to maintain the hydrostatic pressure.
xxi.	The top soil removed shall be stacked separately for reuse during restoration process.	The top soil being spread out in designated area for green belt development at project area..
xxii.	Emergency Response Plan shall be based on the guidelines prepared by OISD, DGMS and Govt. of India. Recommendations mentioned in the Risk Assessment & Consequence Analysis and Disaster Management Plan shall be strictly followed.	Emergency Response plan has been prepared as per the OISD & DGMS guidelines and sent for the DGMS approval and has been certified. The certificate has already attached with previous compliance report.
xxiii.	Project proponent shall comply with the environment protection measures and safeguards recommended in the EIA/EMP/risk analysis report/disaster management plan	Environmental protection measures and safeguards recommended in EMP/risk analysis report/disaster management plan are implemented.
xxiv.	The company shall take measures after completion of drilling process by well plugging and secured enclosures, decommissioning of rig upon abandonment of the well and drilling site shall be restored in original condition. In the event that no economic quantity of hydrocarbon is found a full abandonment shall be implemented for the drilling site in accordance with the applicable Indian Petroleum Regulations.	Wells will be abandoned and restored to natural position if found not suitable for hydrocarbon extraction. Wells will be fully abandoned in compliance with Indian Petroleum Regulations in the event of no economic quantity of hydrocarbon is found.

S. No	Condition	Compliance Status
xxv.	Occupational health surveillance of the workers shall be carried out as per the prevailing Acts and Rules.	Occupational health surveillance of the workers has been carried out as per the Mines Act 1952. Periodical Occupational Health Surveillance records are being maintained.
xxvi.	Company shall adopt Corporate Environment Policy as per the Ministry's O.M.No.J-11013/41/2006-IA.II(I) dated 26 th April, 2011 and implemented.	Company has framed Corporate Environment Policy which is duly implemented.
xxvii.	All the commitments made to the public during the Public Hearing/Public Consultation meeting held on 24 th May, 2012 shall be satisfactorily implemented and a separate budget for implementing the same shall be allocated and information submitted to the Ministry's Regional Office at Bhubaneswar.	Commitments given in the public hearing are strictly implemented. A separate budget has already been provided for the FY 2018-2019 as part of previous phases of the project for the welfare of surrounding villages in thrust areas like Health, Education & Empowerment etc. under CSR budget.
xxviii.	At least 5% of the total cost of the project should be earmarked towards the enterprise social commitment and item-wise details along with time bound action plan shall be prepared and submitted to the Ministry's Regional Office at Bhubaneswar. Implementation of such program shall be ensured after the completion of the project.	<p>The budget for enterprise social commitment has been allocated for the CBM Project as a whole (Ph-I, II, IIA, III). The expenditure towards enterprise social commitment activities for the period April' 18 to September' 18 is INR 18.005 Lacs. The details of activities done in various areas like health, education and empowerment, community infrastructure development and its beneficiaries are attached with this report as Annexure-V.</p> <p>The revised budgetary allocation has been made for the FY 2018-19 for the CBM Project which is about INR 99.05 Lacs. These funds has be judicially utilised for the development of villages and people in the vicinity of the project area.</p>
B	General Conditions	
i.	The project authorities must strictly adhere to the stipulations made by the State Pollution Control Board (SPCB), State	We comply with the stipulations made by the State Pollution Control Board (SPCB), State Government and all other statutory bodies.

S. No	Condition	Compliance Status
	Government and any other statutory authority.	
ii.	No further expansion or modification in the project shall be carried out without prior approval of the Ministry of Environment & Forests. In case of deviations or alterations in the project proposal from those submitted to this Ministry for clearance, a fresh reference shall be made to the Ministry to assess the adequacy of conditions imposed and to add additional environmental protection measures required, if any.	We restrict to the project configuration that is described in the Environmental Clearance. For any further expansion and modification in project configuration, we would approach MoEF for the prior Environmental Clearance.
iii.	The project authorities must strictly comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 2000 as amended subsequently. Prior approvals from Chief Inspectorate of Factories, Chief Controller of Explosives, Fire Safety Inspectorate etc. must be obtained, wherever applicable.	We comply with the rules and regulations under Manufacture, Storage and Import of Hazardous Chemicals Rules, 2000 as amended subsequently. Prior approvals will be obtained from appropriate authority.
iv.	The project authorities must strictly comply with the rules and regulation with regarding to handling and disposal of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008 wherever applicable. Authorization from the State Pollution Control Board must be obtained for collections/treatment/storage/disposal of hazardous wastes.	We comply with the rules and regulations with regard to handling and disposal of Hazardous Wastes (Management, Handling and Transboundary Movement) Rules, 2008. Authorization from the West Bengal Pollution Control Board has been obtained with regard to storage, treatment and disposal of hazardous waste, valid till 31 st October, 2023.
v.	The overall noise levels in and around the plant area shall be kept within the standards by providing noise control measures including acoustic hoods, silencers, enclosures etc. on all sources of noise generation. The ambient noise levels	Acoustic hoods, silencers, enclosures are provided to high noise generating equipment. Noise levels will be restricted to the standards prescribed under EPA Rules, 1989.

S. No	Condition	Compliance Status
	shall conform to the standards prescribed under EPA Rules, 1989 viz. 75dBA (daytime) and 70 dBA (night time)	Personal Protective Equipment (earmuffs and plugs) have been provided to the working personnel.
vi.	A separate Environmental Management Cell equipped with full-fledged laboratory facilities must be set up to carry out the environmental management and monitoring functions.	A dedicated environment management cell is currently in operation and functioning for implementation of environment management plan at large. The sampling and analysis of environmental parameters is been carried out by Scientific Research Laboratory (MoEF recognized).
vii.	As proposed, Rs.2.80 Crore earmarked for environment pollution control measures shall be used to implement the conditions	Rs.2.80 Crore earmarked for environment pollution control measures has been judicially utilised. The former expenditure towards environmental protection has been submitted with previous compliance reports of EC Phase I (EC no. F. No. J-11011/660/2007- IA II (I) dated 06.05.2008) & EC Phase II (EC no. F. No. J-11011/351/2009- IA II (I) dated 23.09.2011) The environmental protection expenditure from April' 2018 to September' 2018 is attached with this report as Annexure VI.
viii.	The Regional Office of this Ministry/Central Pollution Control Board/State Pollution Control Board will monitor the stipulated conditions. A six monthly compliance report and the monitored data along with statistical interpretation shall be submitted to them regularly.	Support is being extended to the Regional office of this Ministry/Central Pollution Control Board/State Pollution Control Board for monitoring the stipulated conditions. Six Monthly Compliance Reports will be regularly be submitted to MoEF Regional Office.
ix.	A copy of clearance letter shall be sent by the proponent to concerned Panchayat, Zila Parishad/ Municipal Corporation, Urban Local Body and the local NGO, if any, from whom suggestions/ representations, if any, were received while processing the proposal. The clearance letter shall also be put on the web site of the company by the proponent.	A copy of Clearance letter has been uploaded on the company's website. The notice of obtaining environmental clearance has been published two new papers. Also a copy of clearance has been circulated to major administrative offices.

S. No	Condition	Compliance Status
x.	<p>The project proponent shall upload the status of compliance for the stipulated environment clearance conditions, including results of monitored data on their website and shall update the same periodically. It shall simultaneously be sent to the Regional Office of the MoEF, the respective Zonal Office of CPCB and the WBPCB. The criteria pollutant levels namely; PM10, PM2.5, SO2, NOx, HC (Methane & Non-methane), VOCs (ambient levels as well as stack emissions) or critical sectoral parameters, indicated for the projects shall be monitored and displayed at a convenient location near the main gate of the company in the public domain.</p>	<p>Compliance reports have been uploaded on company's website & sent to Regional Office of the MOEF, the respective Zonal Office of CPCB and the WBPCB.</p> <p>The Ambient air quality monitoring is already being carried out in the nearest settlements as per revised NAAQM criteria. The criteria pollutant levels namely; SPM, RSPM, SO2, NOx, HC (Methane & Non-methane), VOCs are being monitored periodically and displayed at the main entrance of the existing Gas Gathering Stations.</p>
xi.	<p>The project proponent shall also submit six monthly reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MoEF, the respective Zonal Office of CPCB and the WBPCB. The Regional Office of this Ministry/CPCB/WBPCB shall monitor the stipulated conditions.</p>	<p>We are submitting the six monthly compliance reports on the status of the compliance of the stipulated environmental conditions including results of monitored data (both in hard copies as well as by e-mail) to the Regional Office of MOEF, the respective Zonal Office of CPCB and the WBPCB.</p>
xii.	<p>The environmental statement for each financial year ending 31st March in Form-V as is mandated to be submitted by the project proponent to the concerned State Pollution Control Board as prescribed under the Environment (Protection) Rules, 1986, as amended subsequently, shall also be put on the website of the company along with the status of compliance of environmental conditions and shall also be</p>	<p>The environmental statement for each financial year ending 31st March in Form-V as is being regularly submitted to West Bengal Pollution Control Board and the same is been uploaded on the company's website along with the status of compliance report.</p>

S. No	Condition	Compliance Status
	sent to the respective Regional Offices of the MoEF by e-mail	
xiii.	<p>The Project Proponent shall inform the public that the project has been accorded environmental clearance by the Ministry and copies of the clearance letter are available with the WBPCB and may also be seen at Website of the Ministry of Environment and Forests at http://envfor.nic.in. This shall be advertised within seven days from the date of issue of the clearance letter, at least in two local newspapers that are widely circulated in the region of which one shall be in the vernacular language of the locality concerned and a copy of the same shall be forwarded to the Regional Office.</p>	<p>The advertisement regarding the grant of environmental clearance has been published in two newspapers viz The Statesman (English) and Anand Bazaar Pathrika (Bengali/Vernacular) on 28th February, 2013. A copy of the advertisement is already submitted with Half yearly compliance of Oct 12 – Mar 13 period</p>
xiv.	<p>Project authorities shall inform the Regional Office as well as the Ministry, the date of financial closure and final approval of the project by the concerned authorities and the date of commencing the land development work.</p>	<p>We are currently working with financial institutions regarding funding for the phase-III project activities. The date of financial closure will be informed to the MoEF (Eastern Regional Office) as and when achieved. The approval from concerned authorities and the commencement of the activities will also be informed to your kind office.</p>

Ambient Air Quality Monitoring Results

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			MCS						GGs- 02			
Parameter	UoM	NAAQS LIMIT	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	30.5	28.70	30.27	29.04	22.47	31.26	29.41	31.82	35.74	27.12
Particulate Matter (PM ₁₀)	µg/m ³	100	62.5	60.19	66.34	61.74	54.84	63.47	60.47	68.43	64.38	56.38
Nitrogen Dioxide	µg/m ³	80	38.1	43.81	40.12	36.15	34.64	41.68	38.30	37.91	42.52	35.30
Sulphur Dioxide	µg/m ³	80	4.9	6.46	5.38	5.26	5.08	6.08	5.17	5.60	5.28	5.26
Carbon Monoxide	mg/m ³	2	0.4	0.41	0.41	0.36	0.43	0.38	0.40	0.41	0.43	0.38
Hydrocarbon as CH ₄	mg/m ³	NIL	2.0	2.26	1.98	2.15	1.98	2.12	1.83	1.98	1.94	2.04
Mercury	mg/m ³		< 0.002			< 0.002			< 0.002			< 0.002
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³		3.1			3.15			3.35			2.75
Benzo(a)Pyrene [B(a)P]	ng/m ³	1	0.4			0.63			0.49			0.45
Ammonia	µg/m ³	400	28.3			24.06			27.94			20.56
Ozone	µg/m ³	180	42.2			43.78			45.28			40.47
Lead	µg/m ³	1	0.2			0.18			0.19			0.11
Nickel	ng/m ³	20	17.5			16.19			16.81			9.22
Arsenic	ng/m ³	6	1.7			1.65			1.82			1.32
Benzene	µg/m ³	5	1.8			1.98			1.73			1.56

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited
Compliance Period: Apr'18 to Sep'18

ANNEXURE I

LOCATION			GGs- 02		GGs- 01						WAREHOUSE	
Parameter	UoM	NAAQS LIMIT	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	30.28	24.87	25.21	30.43	32.62	26.45	36.27	27.46	33.20	34.78
Particulate Matter (PM ₁₀)	µg/m ³	100	62.44	52.64	59.13	64.22	66.82	59.08	67.12	56.22	72.49	67.26
Nitrogen Dioxide	µg/m ³	80	32.64	43.64	43.03	41.15	41.28	36.36	34.36	42.38	40.11	40.65
Sulphur Dioxide	µg/m ³	80	5.32	5.78	5.60	5.81	5.32	5.50	5.68	5.40	6.01	6.01
Carbon Monoxide	mg/m ³	2	0.44	0.39	0.42	0.40	0.42	0.40	0.48	0.43	0.40	0.41
Hydrocarbon as CH ₄	mg/m ³	NIL	2.23	1.78	1.71	2.15	2.34	1.87	1.36	1.86	2.65	2.59
Mercury	mg/m ³				< 0.002			< 0.002			< 0.002	
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³				2.76			2.51			3.57	
Benzo(a)Pyrene [B(a)P]	ng/m ³	1			0.42			0.33			0.82	
Ammonia	µg/m ³	400			22.15			19.75			34.08	
Ozone	µg/m ³	180			38.37			39.76			48.29	
Lead	µg/m ³	1			0.12			0.13			0.27	
Nickel	ng/m ³	20						12.19			18.02	
Arsenic	ng/m ³	6			1.21			1.35			1.74	
Benzene	µg/m ³	5			1.58			1.62			1.95	

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			WAREHOUSE				SARENGA					
Parameter	UoM	NAAQS LIMIT	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	28.44	31.16	34.18	39.24	27.18	31.30	32.84	24.56	34.20	34.62
Particulate Matter (PM ₁₀)	µg/m ³	100	61.38	66.42	72.64	64.30	61.67	66.73	71.28	54.58	67.33	67.36
Nitrogen Dioxide	µg/m ³	80	44.38	34.09	35.28	38.67	42.68	43.25	38.62	37.90	35.64	42.34
Sulphur Dioxide	µg/m ³	80	5.08	5.41	6.02	6.48	5.01	5.18	5.64	5.26	5.42	5.92
Carbon Monoxide	mg/m ³	2	0.42	0.35	0.43	0.41	0.40	0.40	0.40	0.361	0.42	0.436
Hydrocarbon as CH ₄	mg/m ³	NIL	2.36	1.61	1.79	1.98	1.86	2.89	2.42	2.38	2.09	2.34
Mercury	mg/m ³			< 0.002			< 0.002			< 0.002		
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³			2.76			2.64			2.53		
Benzo(a)Pyrene [B(a)P]	ng/m ³	1		0.51			0.36			0.46		
Ammonia	µg/m ³	400		23.18			23.12			22.76		
Ozone	µg/m ³	180		38.17			35.17			41.72		
Lead	µg/m ³	1		0.12			0.16			0.14		
Nickel	ng/m ³	20		13.21			12.79			12.29		
Arsenic	ng/m ³	6		1.71			1.33			1.58		
Benzene	µg/m ³	5		1.47			1.53			1.32		

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			KULDIHA						SARASWATIGUNJ			
Parameter	UoM	NAAQS LIMIT	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	25.61	28.43	27.65	26.10	31.47	38.24	24.55	24.87	25.34	22.65
Particulate Matter (PM ₁₀)	µg/m ³	100	57.38	63.16	62.54	58.36	64.38	69.22	55.23	60.31	58.28	53.22
Nitrogen Dioxide	µg/m ³	80	41.98	39.77	38.64	33.36	32.64	32.68	36.85	38.84	36.58	34.17
Sulphur Dioxide	µg/m ³	80	5.17	5.95	5.40	4.80	4.60	6.32	5.51	5.81	6.12	4.57
Carbon Monoxide	mg/m ³	2	0.38	0.43	0.43	0.382	0.40	0.408	0.41	0.41	0.42	0.368
Hydrocarbon as CH ₄	mg/m ³	NIL	1.74	2.35	2.18	1.76	1.89	1.86	1.66	2.57	2.06	1.42
Mercury	mg/m ³		< 0.002			< 0.002			< 0.002			< 0.002
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³		2.77			2.88			2.51			2.71
Benzo(a)Pyrene [B(a)P]	ng/m ³	1	0.39			0.42			0.29			0.44
Ammonia	µg/m ³	400	25.17			21.49			20.46			19.25
Ozone	µg/m ³	180	40.82			42.16			38.17			42.24
Lead	µg/m ³	1	0.18			0.16			0.11			0.11
Nickel	ng/m ³	20	15.04			13.85			11.67			15.26
Arsenic	ng/m ³	6	1.41			1.43			1.29			1.36
Benzene	µg/m ³	5	1.42			1.67			1.38			1.55

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			SARASWATIGUNJ		KANTABERIA					JATGORIA	
Parameter	UoM	NAAQS LIMIT	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	31.51	36.22	28.63	35.13	37.28	34.62	32.60	35.22	21.43
Particulate Matter (PM ₁₀)	µg/m ³	100	63.09	62.38	61.27	74.85	70.22	68.27	61.38	62.85	54.41
Nitrogen Dioxide	µg/m ³	80	36.22	34.50	38.44	41.15	40.68	36.24	42.00	41.93	39.26
Sulphur Dioxide	µg/m ³	80	5.12	6.02	5.42	5.75	5.44	5.60	6.00	5.66	6.16
Carbon Monoxide	mg/m ³	2	0.39	0.384	0.43	0.44	0.44	0.43	0.436	0.42	0.41
Hydrocarbon as CH ₄	mg/m ³	NIL	1.64	1.92	1.79	3.04	2.11	1.88	2.08	1.89	2.48
Mercury	mg/m ³				< 0.002					5.38	
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	0.36	1.56
VOC's	µg/m ³				2.82					2.84	
Benzo(a)Pyrene [B(a)P]	ng/m ³	1			0.33					0.47	
Ammonia	µg/m ³	400			21.67					27.64	
Ozone	µg/m ³	180			39.14					40.76	
Lead	µg/m ³	1			0.13					0.15	
Nickel	ng/m ³	20			14.05					14.05	
Arsenic	ng/m ³	6			1.47					1.84	
Benzene	µg/m ³	5			1.59					1.63	

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			JATGORIA				PRATAPPUR				
Parameter	UoM	NAAQS LIMIT	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	31.62	30.08	32.06	30.20	39.57	31.74	33.20	33.47	30.11
Particulate Matter (PM ₁₀)	µg/m ³	100	65.38	58.74	67.44	58.67	70.65	62.51	62.38	67.32	64.38
Nitrogen Dioxide	µg/m ³	80	42.34	36.58	34.36	36.25	40.88	41.67	42.64	33.36	32.68
Sulphur Dioxide	µg/m ³	80	5.64	5.26	5.68	6.75	5.81	6.24	5.34	5.94	5.82
Carbon Monoxide	mg/m ³	2	0.41	0.388	0.41	0.43	0.40	0.44	0.46	0.412	0.43
Hydrocarbon as CH ₄	mg/m ³	NIL	2.16	1.550	1.68	2.040	2.31	2.18	2.08	1.28	1.51
Mercury	mg/m ³			< 0.002			< 0.002			< 0.002	
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³			2.59			3.05			2.45	
Benzo(a)Pyrene [B(a)P]	ng/m ³	1		0.47			0.54			0.48	
Ammonia	µg/m ³	400		18.56			21.27			20.41	
Ozone	µg/m ³	180		39.75			45.14			35.49	
Lead	µg/m ³	1		0.13			0.24			0.11	
Nickel	ng/m ³	20		14.74			17.76			11.85	
Arsenic	ng/m ³	6		1.49			1.92			1.37	
Benzene	µg/m ³	5		1.38			1.81			1.27	

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			PRATAPPUR	BANSIA						NACHAN	
Parameter	UoM	NAAQS LIMIT	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018	APRIL' 2018	MAY' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	37.22	32.29	25.65	29.42	29.44	27.38	31.36	32.61	31.30
Particulate Matter (PM ₁₀)	µg/m ³	100	70.64	64.57	58.28	60.25	64.28	57.64	64.38	72.53	52.80
Nitrogen Dioxide	µg/m ³	80	41.28	40.15	36.29	40.38	33.36	32.64	38.64	38.85	40.69
Sulphur Dioxide	µg/m ³	80	6.08	5.85	5.59	5.28	5.71	5.12	5.84	5.74	6.17
Carbon Monoxide	mg/m ³	2	0.402	0.38	0.44	0.43	0.364	0.38	0.384	0.39	0.44
Hydrocarbon as CH ₄	mg/m ³	NIL	2.04	2.03	1.87	1.98	1.46	1.73	1.68	2.58	1.74
Mercury	mg/m ³			< 0.002			< 0.002			< 0.002	
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³			2.95			2.27			3.27	
Benzo(a)Pyrene [B(a)P]	ng/m ³	1		0.45			0.38			0.73	
Ammonia	µg/m ³	400		29.82			21.82			32.14	
Ozone	µg/m ³	180		35.15			37.38			47.29	
Lead	µg/m ³	1		0.19			0.10			0.26	
Nickel	ng/m ³	20		16.54			10.76			18.59	
Arsenic	ng/m ³	6		1.78			1.45			1.95	
Benzene	µg/m ³	5		1.67			1.18			1.88	

Ambient air quality of surrounding villages of CBM Raniganj Project by Essar Oil Gas Exploration Production Limited

ANNEXURE I

Compliance Period: Apr'18 to Sep'18

LOCATION			NACHAN				PARULIA					
Parameter	UoM	NAAQS LIMIT	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER ' 2018	APRIL' 2018	MAY' 2018	JUNE' 2018	JULY' 2018	AUGUST' 2018	SEPTEMBER' 2018
Particulate Matter (PM _{2.5})	µg/m ³	60	30.64	28.54	26.44	30.65	36.82	24.35	26.38	24.56	26.38	34.60
Particulate Matter (PM ₁₀)	µg/m ³	100	62.44	60.72	56.07	64.38	70.27	59.15	64.38	56.32	54.87	69.21
Nitrogen Dioxide	µg/m ³	80	36.44	34.17	34.38	40.22	41.67	40.62	40.32	34.45	32.48	39.24
Sulphur Dioxide	µg/m ³	80	6.04	4.57	4.22	5.78	6.24	6.13	5.64	5.73	5.24	6.22
Carbon Monoxide	mg/m ³	2	0.43	0.358	0.37	0.398	0.38	0.41	0.44	0.364	0.38	0.384
Hydrocarbon as CH ₄	mg/m ³	NIL	2.22	1.71	1.47	2.22	2.45	1.81	1.94	1.56	1.32	2.18
Mercury	mg/m ³			< 0.002			< 0.002			< 0.002		
Hydrocarbon as Non Methane	mg/m ³	NIL	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003	< 0.003
VOC's	µg/m ³			2.84			3.16			2.38		
Benzo(a)Pyrene [B(a)P]	ng/m ³	1		0.51			0.61			0.43		
Ammonia	µg/m ³	400		18.96			30.79			21.05		
Ozone	µg/m ³	180		38.11			44.18			40.24		
Lead	µg/m ³	1		0.17			0.28			0.12		
Nickel	ng/m ³	20		13.15			19.57			13.85		
Arsenic	ng/m ³	6		1.58			1.88			1.31		
Benzene	µg/m ³	5		1.65			1.77			1.52		

Noise Quality Monitoring Results

Noise in Surrounding Villages (Leq dB (A))					
Date of sampling	LOCATION	DAY TIME		NIGHT TIME	
		Permissible Limit as per CPCB dB(A)	Noise Level dB(A)	Permissible Limit as per CPCB dB(A)	Noise Level dB(A)
03.07.18 to 04.07.18	GOPALPUR WARE HOUSE	75	51.24	70	55.72
04.07.18 to 05.07.18	KULDIHA	75	62.05	70	47.44
05.07.18 to 06.07.18	SARASWATIGUNJ	75	61.04	70	35.14
06.07.18 to 07.07.18	KANTABERIA	75	60.58	70	52.72
09.07.18 to 10.07.18	SARENGA	75	57.71	70	60.77
11.07.18 to 12.07.18	MCS	75	54.23	70	57.71
13.07.18 to 14.07.18	PARULIA	75	53.53	70	50.2
24.07.18 to 25.07.18	GGS- 02	75	48.94	70	50.65
25.07.18 to 26.07.18	NACHAN	75	60.43	70	57.23
26.07.18 to 27.07.18	JATGORIA	75	57.76	70	48.19
27.07.18 to 28.07.18	GGS- 01	75	62.07	70	60.8
31.07.18 to 1.08.18	BANSIA	75	54.51	70	51.8

Analysis Report of Water treated through Reverse Osmosis Plant

Date					APRIL' 2018							
RO UNIT SITE					EDN- 099			EDH- 044			GGs- 01	
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.1	0.07	0.26	0.12	0.07	0.19	0.1	0.06
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	0.188	<0.05	<0.05	<0.05	0.081	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	131.2	108.6	209.8	303.2	87.8	453.8	634.4	117.1
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	1732	685	3249	1680	320	2586	1782	452
41	Sodium	mg/l	---	---	461	182	670	458	82	655	590	121

Date					APRIL' 2018				MAY' 2018			
RO UNIT SITE					GGs- 01	EDD- 050			EDN- 099			EDH- 044
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.21	0.17	0.1	0.19	0.26	0.21	0.27	0.22
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.188	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	878.4	488	219.6	512.4	296.5	258.6	719.8	690
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	2442	1632	685	1701	8440	1070	14200	5080
41	Sodium	mg/l	---	---	724	524	194	546	2890	210	5011	1545

Date					MAY' 2018							
RO UNIT SITE					EDH-044		GGS- 01			EDD- 050		
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.17	0.19	0.23	0.17	0.21	0.21	0.1	0.24
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	92.7	977.2	726	247.7	793	585.6	255	636.8
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	362	8290	3260	583	6300	3900	1210	5260
41	Sodium	mg/l	---	---	87	2080	910	108	1924	982	275	1180

Date					JUNE' 2018							
RO UNIT SITE					EDN- 099			GGG- 01			EDD- 050	
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.12	0.09	0.19	0.2	0.11	0.23	0.19	0.12
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	0.188	<0.05	<0.05	<0.05	<0.05	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	1269.2	295.5	1380.1	740	182	1170.5	936.5	525.5
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	6620	680	8460	2810	545	4810	3810	1310
41	Sodium	mg/l	---	---	2040	108	2115	602	132	1012	970	225

Date					JUNE' 2018				JULY' 2018			
RO UNIT SITE					EDD- 050	EDH- 044			EDN- 099			GGs- 01
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.27	0.12	0.08	0.15	0.26	0.17	0.22	0.14
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.188	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	1301.5	836	118.1	749	885.7	130.5	1024.8	939.4
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	4670	4120	339	6240	6810	502	8540	2690
41	Sodium	mg/l	---	---	1084	818	56	2130	1882	102	2180	735

Date					JULY' 2018					AUGUST' 2018		
RO UNIT SITE					GGs- 01		EDD- 050			EDN- 099		
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.09	0.19	0.13	0.12	0.16	0.13	0.07	0.18
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	<0.05	<0.05	<0.05	0.089	<0.05	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	146.4	1802	1037	521	998.6	780.8	113.5	1124.8
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	520	5080	3540	1240	4350	4380	470	5622
41	Sodium	mg/l	---	---	42	1270	920	276	1080	1275	57	1870

Date					AUGUST' 2018						SEPTEMBER' 2018	
RO UNIT SITE					EDD- 050			GGs- 01			EDN- 099	
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.18	0.08	0.22	0.13	0.06	0.18	0.19	0.09
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			<0.05	<0.05	<0.05	<0.05	<0.05	<0.05	0.019	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	1024.8	854	1195.6	668.6	146.4	1268.8	756.4	126.9
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	3210	1520	3640	2430	570	3690	5240	510
41	Sodium	mg/l	---	---	1026	282	1030	540	118	1210	1190	98

Date					SEPTEMBER' 2018						
RO UNIT SITE					EDN-099	GGs- 01			EDD- 050		
S. No.	Parameter	Unit	CPCB Limit for Discharge of Environmental Pollutants (Inland surface water)	Onshore Discharge Standards	RO REJECT	RO INLET	RO OUTLET	RO REJECT	RO INLET	RO OUTLET	RO REJECT
25	Arsenic	mg/l			<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.01	0.01	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001	<0.001
28	Boron	mg/l			<1	<1	<1	<1	<1	<1	<1
29	Phosphorous	mg/l	---	---	0.27	0.17	0.11	0.2	0.21	0.12	0.24
30	Aluminum	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01	<0.01
31	Lithium	mg/l			<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
32	Manganese	mg/l			0.07	<0.05	<0.05	<0.05	<0.05	<0.05	<0.05
33	Molybednum	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
34	Palladium	mg/l	---	---	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5	<0.5
35	Selenium	mg/l			<0.005	<0.005	<0.005	<0.005	<0.005	<0.005	<0.005
36	Vanadium	mg/l	---	---	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2	<0.2
37	Cadmium	mg/l			<0.02	<0.02	<0.02	<0.02	<0.02	<0.02	<0.02
38	Cobalt	mg/l			<0.1	<0.1	<0.1	<0.1	<0.1	<0.1	<0.1
39	Bicarbonate	mg/l	---	---	2499.8	780.8	131.8	829.6	488	292.8	683.2
40	Electrical Conductivity at 25 degree Celsius	us/cm	---	---	12100	2780	720	4970	2440	1090	3740
41	Sodium	mg/l	---	---	2260	612	188	1520	675	370	1036

Ground Water Analysis Report

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited
Compliance period: Apr'18 to Sep'18

ANNEXURE IV

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Nachan Village	Kalikapur Village	Akandara Village	Labnapara Village	Dhabani Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018	11.07.2018	11.07.2018
1	pH at 27°C		6.5 to 8.5	No Relaxation	7.71	7.36	7.1	6.02	6.1
2	Colour in Hazen unit		5	15	<5	<5	<5	<5	<5
3	Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Total Suspended Solids	mg/l	---	---	<2	<2	<2	<2	<2
5	Total Dissolved Solids	mg/l	500	2000	394	462	82	62	52
6	Turbidity	NTU	1	5	<1	<1	1.8	<1	<1
7	Nitrate	mg/l	45	No Relaxation	<0.5	<0.5	<0.5	<0.5	<0.5
8	Total Alkalinity (as CaCO ₃)	mg/l	200	600	89	96	54	14.7	16.2
9	Chloride	mg/l	250	1000	76	104	18	21	17
10	Total Hardness (as CaCO ₃)	mg/l	200	600	217.3	244.4	38.8	34.9	31
11	Sulphate	mg/l	200	400	<2.5	9.6	<2.5	<2.5	<2.5
12	Calcium	mg/l	75	200	59.1	63.8	10.9	10.9	7.8
13	Magnesium	mg/l	30	100	17	20.7	2.8	1.9	2.8
14	Anionic Detergents (as MBAS)	mg/l	0.2	1	<0.1	<0.1	<0.1	<0.1	<0.1
15	Mineral Oil	mg/l	0.5	No Relaxation	<1	<1	<1	<1	<1
16	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.002	<0.002	<0.002	<0.002	<0.002
17	Fluoride	mg/l	1	1.5	0.39	0.45	0.2	0.28	0.19
18	Residual Free Chlorine	mg/l	0.2	1	<0.1	<0.1	<0.1	<0.1	<0.1
19	Iron	mg/l	0.3	No Relaxation	<0.1	<0.1	<0.1	<0.1	<0.1
20	Sodium	mg/l	---	---	39	42	12	15	14
21	Total Chromium	mg/l	0.05	No Relaxation	<0.05	<0.05	<0.05	<0.05	<0.05
22	Zinc	mg/l	5	15	<0.01	0.024	<0.01	<0.01	<0.01
23	Copper	mg/l	0.05	1.5	<0.05	<0.05	<0.05	<0.05	<0.05
24	Nickel	mg/l	0.02	No Relaxation	<0.05	<0.05	<0.05	<0.05	<0.05
25	Arsenic	mg/l	0.01	0.05	<0.01	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l	0.01	No Relaxation	<0.1	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.001	No Relaxation	<0.001	<0.001	<0.001	<0.001	<0.001

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited

ANNEXURE IV

Compliance period: Apr'18 to Sep'18

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Nachan Village	Kalikapur Village	Akandara Village	Labnapara Village	Dhabani Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018	11.07.2018	11.07.2018
28	Boron	mg/l	0.5	1	<1	<1	<1	<1	<1
29	Phosphorus	mg/l	---	---	<0.03	<0.03	<0.03	<0.03	<0.03
30	Potassium	mg/l	---	---	3	4	<1	<1	<1
31	Aluminium	mg/l	0.03	0.2	<0.01	<0.01	<0.01	<0.01	<0.01
32	Manganese	mg/l	0.1	0.3	<0.05	<0.05	<0.05	<0.05	<0.05
33	Selenium	mg/l	0.01	No Relaxation	<0.01	<0.01	<0.01	<0.01	<0.01
34	Cadmium	mg/l	0.003	No Relaxation	<0.02	<0.02	<0.02	<0.02	<0.02
35	Cyanide	mg/l	0.05	No Relaxation	<0.02	<0.02	<0.02	<0.02	<0.02
36	Electrical Conductivity at 25° C	us/cm	---	---	610	725	112	87	79
37	Hexavalent Chromium	mg/l	---	---	<0.01	<0.01	<0.01	<0.01	<0.01
38	Total Coliform	MPN/100m l	---	---	3.6	<1	<1	<1	<1

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited

ANNEXURE IV

Compliance period: Apr'18 to Sep'18

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Kantaberia Village	Bargoria Village	Jatgoria Village	Saraswatiganj Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018	11.07.2018
1	pH at 27°C		6.5 to 8.5	No Relaxation	6.63	6.51	6.45	6.42
2	Colour in Hazen unit		5	15	<5	<5	<5	<5
3	Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Total Suspended Solids	mg/l	---	---	<2	<2	<2	<2
5	Total Dissolved Solids	mg/l	500	2000	86	78	108	172
6	Turbidity	NTU	1	5	<1	<1	1.9	3.7
7	Nitrate	mg/l	45	No Relaxation	<0.5	<0.5	<0.5	<0.5
8	Total Alkalinity (as CaCO ₃)	mg/l	200	600	18	43	48	61
9	Chloride	mg/l	250	1000	27.2	29	30	29
10	Total Hardness (as CaCO ₃)	mg/l	200	600	42.7	31	58.2	112.5
11	Sulphate	mg/l	200	400	<2.5	<2.5	3.9	4.5
12	Calcium	mg/l	75	200	12.4	7.8	17.1	34.2
13	Magnesium	mg/l	30	100	2.8	2.8	5.7	6.6
14	Anionic Detergents (as MBAS)	mg/l	0.2	1	<0.1	<0.1	<0.1	<0.1
15	Mineral Oil	mg/l	0.5	No Relaxation	<1	<1	<1	<1
16	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.002	<0.002	<0.002	<0.002
17	Fluoride	mg/l	1	1.5	0.25	0.19	0.27	0.24
18	Residual Free Chlorine	mg/l	0.2	1	<0.1	<0.1	<0.1	<0.1
19	Iron	mg/l	0.3	No Relaxation	0.15	<0.1	0.17	0.28
20	Sodium	mg/l	---	---	22	25	23	29
21	Total Chromium	mg/l	0.05	No Relaxation	<0.05	<0.05	<0.05	<0.05
22	Zinc	mg/l	5	15	0.012	<0.01	<0.01	0.015
23	Copper	mg/l	0.05	1.5	<0.05	<0.05	<0.05	<0.05
24	Nickel	mg/l	0.02	No Relaxation	<0.05	<0.05	<0.05	<0.05
25	Arsenic	mg/l	0.01	0.05	<0.01	<0.01	<0.01	<0.01
26	Lead	mg/l	0.01	No Relaxation	<0.1	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.001	No Relaxation	<0.001	<0.001	<0.001	<0.001

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited

ANNEXURE IV

Compliance period: Apr'18 to Sep'18

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Kantaberia Village	Bargoria Village	Jatgoria Village	Saraswatiganj Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018	11.07.2018
28	Boron	mg/l	0.5	1	<1	<1	<1	<1
29	Phosphorus	mg/l	---	---	<0.03	<0.03	<0.03	<0.03
30	Potassium	mg/l	---	---	2	<1	2	4
31	Aluminium	mg/l	0.03	0.2	<0.01	<0.01	<0.01	<0.01
32	Manganese	mg/l	0.1	0.3	<0.05	<0.05	<0.05	<0.05
33	Selenium	mg/l	0.01	No Relaxation	<0.01	<0.01	<0.01	<0.01
34	Cadmium	mg/l	0.003	No Relaxation	<0.02	<0.02	<0.02	<0.02
35	Cyanide	mg/l	0.05	No Relaxation	<0.02	<0.02	<0.02	<0.02
36	Electrical Conductivity at 25° C	us/cm	---	---	101	99	142	252
37	Hexavalent Chromium	mg/l	---	---	<0.01	<0.01	<0.01	<0.01
38	Total Coliform	MPN/100m l	---	---	2.2	<1	<1	<1

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited
Compliance period: Apr'18 to Sep'18

ANNEXURE IV

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Ghatakdanga Village	Sarenga Village	Gopalpur Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018
1	pH at 27°C		6.5 to 8.5	No Relaxation	6.24	6.91	6.05
2	Colour in Hazen unit		5	15	<5	<5	<5
3	Odour		Agreeable	Agreeable	Agreeable	Agreeable	Agreeable
4	Total Suspended Solids	mg/l	---	---	<2	<2	<2
5	Total Dissolved Solids	mg/l	500	2000	56	204	148
6	Turbidity	NTU	1	5	<1	4.2	2.2
7	Nitrate	mg/l	45	No Relaxation	<0.5	<0.5	<0.5
8	Total Alkalinity (as CaCO ₃)	mg/l	200	600	17	76	51
9	Chloride	mg/l	250	1000	21	44	24
10	Total Hardness (as CaCO ₃)	mg/l	200	600	34.9	143.6	108.6
11	Sulphate	mg/l	200	400	<2.5	6.2	3.3
12	Calcium	mg/l	75	200	9.3	37.3	26.4
13	Magnesium	mg/l	30	100	2.8	12.3	10.4
14	Anionic Detergents (as MBAS)	mg/l	0.2	1	<0.1	<0.1	<0.1
15	Mineral Oil	mg/l	0.5	No Relaxation	<1	<1	<1
16	Phenolic Compounds (as C ₆ H ₅ OH)	mg/l	0.001	0.002	<0.002	<0.002	<0.002
17	Fluoride	mg/l	1	1.5	0.21	0.33	0.25
18	Residual Free Chlorine	mg/l	0.2	1	<0.1	<0.1	<0.1
19	Iron	mg/l	0.3	No Relaxation	<0.1	0.24	<0.1
20	Sodium	mg/l	---	---	10	37	41
21	Total Chromium	mg/l	0.05	No Relaxation	<0.05	<0.05	<0.05
22	Zinc	mg/l	5	15	<0.01	0.021	0.018
23	Copper	mg/l	0.05	1.5	<0.05	<0.05	<0.05
24	Nickel	mg/l	0.02	No Relaxation	<0.05	<0.05	<0.05
25	Arsenic	mg/l	0.01	0.05	<0.01	<0.01	<0.01
26	Lead	mg/l	0.01	No Relaxation	<0.1	<0.1	<0.1
27	Mercury	mg/l	0.001	No Relaxation	<0.001	<0.001	<0.001

Ground water analysis of surrounding areas of CBM Raniganj project by Essar Oil Gas Exploration Production Limited
Compliance period: Apr'18 to Sep'18

ANNEXURE IV

S. No.	Parameter	Unit	Limits of IS:10500 -1991 Reaffirmed 2009		Ghatakdanga Village	Sarenga Village	Gopalpur Village
			Desirable limit (Max.)	Permissible limit in the Absence of Alternate Source (Max.)	11.07.2018	11.07.2018	11.07.2018
28	Boron	mg/l	0.5	1	<1	<1	<1
29	Phosphorus	mg/l	---	---	<0.03	<0.03	<0.03
30	Potassium	mg/l	---	---	2	5	3
31	Aluminium	mg/l	0.03	0.2	<0.01	<0.01	<0.01
32	Manganese	mg/l	0.1	0.3	<0.05	<0.05	<0.05
33	Selenium	mg/l	0.01	No Relaxation	<0.01	<0.01	<0.01
34	Cadmium	mg/l	0.003	No Relaxation	<0.02	<0.02	<0.02
35	Cyanide	mg/l	0.05	No Relaxation	<0.02	<0.02	<0.02
36	Electrical Conductivity at 25° C	us/cm	---	---	78	330	222
37	Hexavalent Chromium	mg/l	---	---	<0.01	<0.01	<0.01
38	Total Coliform	MPN/100m l	---	---	<1	2.2	<1

Expenses towards Corporate Social Responsibility

CSR Expenditure from April' 18 to September' 18			
Thematic Area	Projects	Beneficiaries	Expenditure (INR)
HEALTH	Community Health Care Services through Mobile Medical Van	9263	₹ 1,597,840.00
SPORTS AND CULTURAL EVENT	Support to sports	1044	₹ 76,424.00
COMMUNITY INFRASTRUCTURE DEVELOPMENT	Support to community (Bathing Ghat Construction)	812	₹ 126,260.00
Total		11119	₹ 1,800,524.00

Expenses towards Environmental Protection

Expenditure towards Environmental Protection Measures at EOGPEL CBM Project, Raniganj (Period April' 18 to September'18)		
S. No.	Particular	Expenses (in INR)
1	Installation of Reverse Osmosis Treatment System for Produced Water Treatment (Capital & Recurring)	₹ 16,003,300.00
2	Environmental Monitoring Activities (Recurring)	₹ 195,458.00
3	HDPE liners for produced water storage at site when needed (Capital)	₹ 74,000.00
4	Non Hazardous Waste Disposal (Recurring)	₹ 152,966.00
5	Hazardous Waste Disposal (Recurring)	₹ 191,988.00
6	Green Belt Development (Recurring)	₹ 68,305.00
7	Awareness Campaign (Plantation Drive & "No Plastic" Drive)	₹ 65,000.00
TOTAL		₹ 16,751,017.00